



MOWER SPECIFICATIONS

OUTLAW ROGUE



933cc 37HP

Mower Specifications

Cutting Width:	61", 72"
Cutting Height:	2" - 6" in 1/3" increments
Blades:	6100: 1/4" x 2.5" x 21" High Lift, Heat Treated; 7200: 1/4" x 2.5" x 24", High Lift, Heat Treated
Lift and Height Adjustment:	Manual adjustable foot-pedal with dial-style height selection knob
Blade Belt:	Single V-Belt Spring Tension
Anti-Scalp Rollers:	6 Total (4 Double-Bracketed Front Wheels, 2 Rear Wheels)
Deck Flotation:	Floats on (4) 1/4" Deck Hangers
Deck Thickness:	1/4" Thick Solid Steel with additional 1/2" Steel Leading Edge and 3/8" side trim

Engine Specifications

Gross Horsepower/cc:	37 horsepower EFI Horizontal Shaft Vanguard Engine
Cylinders:	90 Degree V-Twin
Displacement:	993cc
Maximum Torque:	N/A (Vanguard does not release this information)
Fuel Requirement:	Unleaded Gasoline (87 Octane or higher)
Fuel Capacity:	13 Gallons
Fuel Filter:	Replaceable Automotive Type
Cooling System:	Air-Cooled
Ignition:	Electronic
Starter:	12 Volt
Charging System:	20 Amp

Drive System Specifications

Transmission:	Dual Hydrostatic
Pumps (2):	16cc Hydro-Gear Pumps
Wheel Drive:	18 cu. In. High Torque Parker Motors
Hydrostatic System Oil:	20W50 Motor Oil
Hydraulic Filter:	25 Micron, Replaceable Spin-On Type, 1 per Pump
Hydraulic Coolers(2):	6" 3,600 RPM Cooling Fan; One per unit

Mower Dimensions

Weight:	6100: 1,445 lbs. 7200: 1,480 lbs.
Overall Height:	53"
Overall Width: (Chute Up/Chute Down)	6100: 63.5"/75.5" 7200: 74.5"/86.5"
Overall Length:	92"
Tire to Tire Width:	6100: 59" 7200: 59"
Tires - Front:	15 x 6.00 x 6
Tires - Rear:	26 x 12 x 12 Reaper Tires
Steering:	Dual Lever Steering, Independent Control
Turning Radius:	Zero Turn - Zero Degrees, Turns Within Unit Length
Ground Speed (Forward):	Up to 13 mph
Parking Brake:	Internal Parking Brake

SPECIFICATIONS ARE SUBJECT TO CHANGE.

We're constantly improving our products! For the latest videos, specifications, model improvements and information, please see us at www.badboymowers.com. Not responsible for typographical errors. ©2019. Bad Boy, Inc., All Rights Reserved.



MOWER SPECIFICATIONS

OUTLAW ROGUE

 **999cc 35HP**

Mower Specifications

Cutting Width:	61", 72"
Cutting Height:	2" - 6" in 1/3" increments
Blades:	6100: 1/4" x 2.5" x 21" High Lift, Heat Treated: 7200: 1/4" x 2.5" x 24", High Lift, Heat Treated
Lift and Height Adjustment:	Manual adjustable foot-pedal with dial-style height selection knob
Blade Belt:	Single V-Belt Spring Tension
Anti-Scalp Rollers:	6 Total (4 Double-Bracketed Front Wheels, 2 Rear Wheels)
Deck Flotation:	Floats on (4) 1/4" Deck Hangers
Deck Thickness:	1/4" Thick Solid Steel with additional 1/2" Steel Leading Edge and 3/8" side trim

Engine Specifications

Gross Horsepower/cc:	35 horsepower Air-Cooled Kawasaki FX
Cylinders:	V-Twin
Displacement:	999cc
Maximum Torque:	56.0 ft. lbs. @ 2,800 RPM
Fuel Requirement:	Unleaded Gasoline (87 Octane or higher)
Fuel Capacity:	13 Gallons
Fuel Filter:	Replaceable Automotive Type
Cooling System:	Air-Cooled
Ignition:	Electronic
Starter:	12 Volt
Charging System:	20 Amp

Drive System Specifications

Transmission:	Dual Hydrostatic
Pumps (2):	16cc Hydro-Gear Pumps
Wheel Drive:	18 cu. In. High Torque Parker Motors
Hydrostatic System Oil:	20W50 Motor Oil
Hydraulic Filter:	25 Micron, Replaceable Spin-On Type, 1 per Pump
Hydraulic Coolers(2):	6" 3,600 RPM Cooling Fan; One per unit

Mower Dimensions

Weight:	6100: 1,445 lbs. 7200: 1,480 lbs.
Overall Height:	53"
Overall Width: (Chute Up/Chute Down)	6100: 63.5"/75.5" 7200: 74.5"/86.5"
Overall Length:	92"
Tire to Tire Width:	6100: 59" 7200: 59"
Tires - Front:	15 x 6.00 x 6
Tires - Rear:	26 x 12 x 12 Reaper Tires
Steering:	Dual Lever Steering, Independent Control
Turning Radius:	Zero Turn - Zero Degrees, Turns Within Unit Length
Ground Speed (Forward):	Up to 13 mph
Parking Brake:	Internal Parking Brake

SPECIFICATIONS ARE SUBJECT TO CHANGE.

We're constantly improving our products! For the latest videos, specifications, model improvements and information, please see us at www.badboymowers.com. Not responsible for typographical errors. ©2019. Bad Boy, Inc., All Rights Reserved.



MOWER SPECIFICATIONS

OUTLAW ROGUE

 **YAMAHA 824cc 33HP**

Mower Specifications

Cutting Width:	61", 72"
Cutting Height:	2" - 6" in 1/3" increments
Blades:	6100: 1/4" x 2.5" x 21" High Lift, Heat Treated: 7200: 1/4" x 2.5" x 24", High Lift, Heat Treated
Lift and Height Adjustment:	Manual adjustable foot-pedal with dial-style height selection knob
Blade Belt:	Single V-Belt Spring Tension
Anti-Scalp Rollers:	6 Total (4 Double-Bracketed Front Wheels, 2 Rear Wheels)
Deck Flotation:	Floats on (4) 1/4" Deck Hangers
Deck Thickness:	1/4" Thick Solid Steel with additional 1/2" Steel Leading Edge and 3/8" side trim

Engine Specifications

Gross Horsepower/cc:	33 horsepower Air-Cooled Yamaha EFI Engine
Cylinders:	V-Twin
Displacement:	824cc
Maximum Torque:	59 ft. lbs. @ 2,600 RPM
Fuel Requirement:	Unleaded Gasoline (87 Octane or higher)
Fuel Capacity:	13 Gallons
Fuel Filter:	Replaceable Automotive Type
Cooling System:	Air-Cooled
Ignition:	Electronic
Starter:	12 Volt
Charging System:	20 Amp

Drive System Specifications

Transmission:	Dual Hydrostatic
Pumps (2):	16cc Hydro-Gear Pumps
Wheel Drive:	18 cu. In. High Torque Parker Motors
Hydrostatic System Oil:	20W50 Motor Oil
Hydraulic Filter:	25 Micron, Replaceable Spin-On Type, 1 per Pump
Hydraulic Coolers(2):	6" 3,600 RPM Cooling Fan; One per unit

Mower Dimensions

Weight:	6100: 1,445 lbs. 7200: 1,480 lbs.
Overall Height:	53"
Overall Width: (Chute Up/Chute Down)	6100: 63.5"/75.5" 7200: 74.5"/86.5"
Overall Length:	92"
Tire to Tire Width:	6100: 59" 7200: 59"
Tires - Front:	15 x 6.00 x 6
Tires - Rear:	26 x 12 x 12 Reaper Tires
Steering:	Dual Lever Steering, Independent Control
Turning Radius:	Zero Turn - Zero Degrees, Turns Within Unit Length
Ground Speed (Forward):	Up to 13 mph
Parking Brake:	Internal Parking Brake

SPECIFICATIONS ARE SUBJECT TO CHANGE.

We're constantly improving our products! For the latest videos, specifications, model improvements and information, please see us at www.badboymowers.com. Not responsible for typographical errors. ©2019. Bad Boy, Inc., All Rights Reserved.



MOWER SPECIFICATIONS

OUTLAW ROGUE

KOHLER® 824cc 33HP

Mower Specifications

Cutting Width:	61", 72"
Cutting Height:	2" - 6" in 1/3" increments
Blades:	6100: 1/4" x 2.5" x 21" High Lift, Heat Treated; 7200: 1/4" x 2.5" x 24", High Lift, Heat Treated
Lift and Height Adjustment:	Manual adjustable foot-pedal with dial-style height selection knob
Blade Belt:	Single V-Belt Spring Tension
Anti-Scalp Rollers:	6 Total (4 Double-Bracketed Front Wheels, 2 Rear Wheels)
Deck Flotation:	Floats on (4) 1/4" Deck Hangers
Deck Thickness:	1/4" Thick Solid Steel with additional 1/2" Steel Leading Edge and 3/8" side trim

Engine Specifications

Gross Horsepower/cc:	33 horsepower EFI Air-Cooled Kohler Command Pro
Cylinders:	V-Twin
Displacement:	824cc
Maximum Torque:	50.2 ft. lbs.
Fuel Requirement:	Unleaded Gasoline (87 Octane or higher)
Fuel Capacity:	13 Gallons
Fuel Filter:	Replaceable Automotive Type
Cooling System:	Air-Cooled
Ignition:	Electronic
Starter:	12 Volt
Charging System:	20 Amp

Drive System Specifications

Transmission:	Dual Hydrostatic
Pumps (2):	16cc Hydro-Gear Pumps
Wheel Drive:	18 cu. In. High Torque Parker Motors
Hydrostatic System Oil:	20W50 Motor Oil
Hydraulic Filter:	25 Micron, Replaceable Spin-On Type, 1 per Pump
Hydraulic Coolers(2):	6" 3,600 RPM Cooling Fan; One per unit

Mower Dimensions

Weight:	6100: 1,445 lbs. 7200: 1,480 lbs.
Overall Height:	53"
Overall Width: (Chute Up/Chute Down)	6100: 63.5"/75.5" 7200: 74.5"/86.5"
Overall Length:	92"
Tire to Tire Width:	6100: 59" 7200: 59"
Tires - Front:	15 x 6.00 x 6
Tires - Rear:	26 x 12 x 12 Reaper Tires
Steering:	Dual Lever Steering, Independent Control
Turning Radius:	Zero Turn - Zero Degrees, Turns Within Unit Length
Ground Speed (Forward):	Up to 13 mph
Parking Brake:	Internal Parking Brake

SPECIFICATIONS ARE SUBJECT TO CHANGE.

We're constantly improving our products! For the latest videos, specifications, model improvements and information, please see us at www.badboymowers.com. Not responsible for typographical errors. ©2019. Bad Boy, Inc., All Rights Reserved.



MOWER SPECIFICATIONS

OUTLAW ROGUE

 **Kawasaki 852CC 27HP**

Mower Specifications

Cutting Width:	54", 61"
Cutting Height:	2" - 6" in 1/3" increments
Blades:	5400: 1/4" x 2.5" x 18.75", High Lift, Heat Treated: 6100: 1/4" x 2.5" x 21", High Lift, Heat Treated
Lift and Height Adjustment:	Manual adjustable foot-pedal with dial-style height selection knob
Blade Belt:	Single V-Belt Spring Tension
Anti-Scalp Rollers:	6 Total (4 Double-Bracketed Front Wheels, 2 Rear Wheels)
Deck Flotation:	Floats on (4) 1/4" Deck Hangers
Deck Thickness:	1/4" Thick Solid Steel with additional 1/2" Steel Leading Edge and 3/8" side trim

Engine Specifications

Gross Horsepower/cc:	27 horsepower Air-Cooled Kawasaki FX
Cylinders:	90 Degree V-Twin
Displacement:	852cc
Maximum Torque:	44.6 ft. lbs. @ 2,400 RPM
Fuel Requirement:	Unleaded Gasoline (87 Octane or higher)
Fuel Capacity:	13 Gallons
Fuel Filter:	Replaceable Automotive Type
Cooling System:	Air-Cooled
Ignition:	Electronic
Starter:	12 Volt
Charging System:	20 Amp

Drive System Specifications

Transmission:	Dual Hydrostatic
Pumps (2):	16cc Hydro-Gear Pumps
Wheel Drive:	18 cu. In. High Torque Parker Motors
Hydrostatic System Oil:	20W50 Motor Oil
Hydraulic Filter:	25 Micron, Replaceable Spin-On Type, 1 per Pump
Hydraulic Coolers(2):	6" 3,600 RPM Cooling Fan; One per unit

Mower Dimensions

Weight:	5400: 1,410 lbs. 6100: 1,445 lbs.
Overall Height:	53"
Overall Width: (Chute Up/Chute Down)	5400: 56.5"/68.5" 6100: 63.5"/75.5"
Overall Length:	92"
Tire to Tire Width:	5400: 59" 6100: 59"
Tires - Front:	15 x 6.00 x 6
Tires - Rear:	26 x 12 x 12 Reaper Tires
Steering:	Dual Lever Steering, Independent Control
Turning Radius:	Zero Turn - Zero Degrees, Turns Within Unit Length
Ground Speed (Forward):	Up to 13 mph
Parking Brake:	Internal Parking Brake

SPECIFICATIONS ARE SUBJECT TO CHANGE.

We're constantly improving our products! For the latest videos, specifications, model improvements and information, please see us at www.badboymowers.com. Not responsible for typographical errors. ©2019. Bad Boy, Inc., All Rights Reserved.